#### COMPLETION


## ZoneSelect<sup>®</sup> Openhole Packers

Achieving complete multizone isolation for hydraulic fracturing operations



# Avoid diversions. Maximize fracturing efficiency with superior isolation technology.

For openhole completions, you need a reliable, long-term barrier that can withstand the high pressures of hydraulic fracturing operations. Our ZoneSelect<sup>®</sup> openhole packers help you achieve total isolation and maximize fracturing efficiency in each zone of your wellbore. These packers can be deployed individually or with our other ZoneSelect products—which include sleeves, liners, and composite plugs—for a custom and comprehensive completion solution.



#### Fraxsis® Swellable Packer

- Has a compact, simple design
- Made of high-strength elastomers that can be customized per application
- Suited for soft formations with the potential for washouts
- Withstands higher differential pressures with shorter elastomer lengths
- Holds securely against differential pressures up to 10,000 psi (68.9 MPa)



#### **ARES II Hydraulic Packer**

- Provides isolation over a wide range of openhole sizes
- Enables instant zonal isolation
- Suited for harder, more competent formations
- Avoids presetting
- Holds securely against differential pressures up to 10,000 psi (68.9 MPa)



### ZoneSelect openhole packers offer major advantages:

- Short length for navigating tight holes and doglegs without friction (maximum length of 5 to 10 ft)
- Streamlined design for easy handling, enhanced safety, and fast, efficient installation
- Rated for differential pressures up to 10,000 psi (68.9 MPa)
- Reduced risk of presetting, equipment failure, leaks, washouts, or well cleanout
- No restrictions in the liner

With the ZoneSelect<sup>®</sup> system—which includes packers, sleeves, liners, and plugs—we can provide custom completion and stimulation designs that achieve complete zonal isolation and maximize production in unconventional formations. For more information about how our openhole packers can improve your hydraulic fracturing operations, contact your authorized Weatherford representative or visit **weatherford.com/contact-us**.



#### weatherford.com

© 2015 Weatherford. All rights reserved. 9800.00

Weatherford products and services are subject to the Company's standard terms and conditions, available on request or at weatherford.com. For more information contact an authorized Weatherford representative. Unless noted otherwise, trademarks and service marks herein are the property of Weatherford and may be registered in the United States and/or other countries. Weatherford products named herein may be protected by one or more U.S. and/or foreign patents. Specifications are subject to change without notice. Weatherford sells its products and services in accordance with the terms and conditions set forth in the applicable contract between Weatherford and the client.