

WELL COMPLETIONS

# MINIMA™ COMPOSITE FRAC PLUG

Minimizing the time it takes to mill  
out barriers and get to production



Weatherford®



# A NEW FRAC PLUG THAT MILLS UP IN AS LITTLE AS FIVE MINUTES

One of the shortest plugs in the industry fast-tracks your fracturing operations.

Multizone plug-and-perf completions require several zones to be fracked as efficiently as possible to minimize downtime and start production operations.

Our Minima composite frac plug isolates the formation for these operations, mills up in as little as 5 minutes, and leaves minimal material in the wellbore. Compared to standard frac plugs, the Minima frac plug amounts to 40% less cuttings when flushed from the wellbore.

To fit the needs of your application, the plug is available in both top- and bottom-setting configurations. The top-setting version uses traditional shear screws. The bottom-setting configuration uses a composite shear ring, which safely shears below the plug.

---

PRESSURES  
UP TO


**10,000 psi**

TEMPERATURES  
UP TO

**250°F**

MILL UP  
TIME OF

**5 MINUTES**



Powdered metal buttons  
for quick drillouts

Composite slips  
for reliable anchoring

Beveled bottom  
for easy deployment

SHORT LENGTH  
**MINIMIZES  
MATERIAL**

LIGHTWEIGHT CUTTINGS  
**EASE  
REMOVAL**



## MINIMIZE YOUR MILL UP TIME

---

As one of the world's shortest plugs, the Minima™ composite frac plug helps you to increase the efficiency of your multizone completions and get to production sooner. To learn how this short yet sturdy plug can work in your operations, please contact your Weatherford representative or visit our website.

[WEATHERFORD.COM/MINIMA](http://WEATHERFORD.COM/MINIMA)

CONNECT WITH WEATHERFORD



© 2018 Weatherford. All rights reserved. 12870.00

Weatherford products and services are subject to the Company's standard terms and conditions, available on request or at [weatherford.com](http://weatherford.com). For more information contact an authorized Weatherford representative. Unless noted otherwise, trademarks and service marks herein are the property of Weatherford and may be registered in the United States and/or other countries. Weatherford products named herein may be protected by one or more U.S. and/or foreign patents. For more information, contact [patents@weatherford.com](mailto:patents@weatherford.com). Specifications are subject to change without notice. Weatherford sells its products and services in accordance with the terms and conditions set forth in the applicable contract between Weatherford and the client.